Tarlov Patient post-operative Survey Thoracic

Patient Name:	DOB:
Date of Self-Evaluation: ☐ 3 months	□□ 6 months □□ 12 months □□ 24 months
Please fill out and send in with po	ost-operative MRI disc if applicable.
Middle back pain is □ better □ same □ worse □ N/A	versus before the surgery.
Middle back numbness is □ better □ same □ worse □ N/A	versus before the surgery.
Bladder function is □ better □ same □ worse □ N/A	versus before the surgery.
Bowel function is □ better □ same □ worse □ N/A	versus before the surgery.
I can participate in activities of daily liv ☐ I strongly agree ☐ somewhat agree	0 ,
History of connective tissue disorder:Y If yesMarfansEhlers-Danlos sync	
Does anyone else in your family have a Ta Relation:	arlov cyst: Yes No

Patient name:	Date:	
_		

VISUAL ANALOG SCALE - Thoracic

This form is designed to give the doctor information as to how your pain is progressing since the last visit. Indicate on the lines below with a check mark the level of pain from "no pain" to "as severe as it could be".

pa	ain" to "as severe as it could be".	
1.	VAS Score for thoracic pain while res $\bigcirc 0 \bigcirc 1 \bigcirc 2 \bigcirc 3 \bigcirc 4$ No pain	sting: 5
2.	VAS Score for thoracic pain upon action $0 \Box 1 \Box 2 \Box 3 \Box 4 \Box$ No pain	ivity: \[\begin{array}{c ccccccccccccccccccccccccccccccccccc
3.	in the last 4 weeks: lower back left buttock left hip left thigh left calf left foot tail bone	of pain while resting you have experienced groin right buttock right hip right thigh right calf right foot right middle back
4.	last 4 weeks: lower back left buttock left hip left thigh left calf left foot tail bone	upon activity you have experienced in the groin right buttock right hip right thigh right calf right foot right middle back
5.	□ 15 minutes	you can sit with reasonable comfort? □ not applicable □ 30 minutes □ > 1 hour

Patient	name: Date:	
	How often does your condition interfere with your usual work, education, or retirement activities:	
	□ never	
	□ occasionally	
	□ frequently	
	□ always	
	How many times during a typical day in the week did you take prescription narcotic pain medications for your condition?	
	# of times	
8.	How many times during a typical day in the last week did you take prescription arthritic medications for your condition?	r
	# of times	

	-	views about your heal well you are able to do		-	keep track
		selecting the answer as		you are unsure	about how
1.	In general, would	you say your health	is:		
	□ Excellent	□Very good	\Box Good	□ Fair	□ Poor
2.	Compared to one ☐ Much better now ☐ ☐ Somewhat worse ☐		at better now	r health in ger □ About th □	
3.		estions are about act ealth <u>now</u> limit you i	• •	_	• -
			limited	limited	limited
			a lot	a little	now
	a. Vigorous a	ctivities, such as runr	ning, □		
	_	y objects, participatin	_		
	strenuous s				
	b. Moderate	activities, such as mo	ving□		
	a table, pus	hing a vacuum cleane	r,		
	bowling, or	playing golf			
	c. Lifting or c	arrying groceries			
	_	everal flight of stairs			
		ne flight of stairs			
	f. Bending, k	neeling, or stooping			
		ore than a mile			
	h. Walking se	veral blocks			
	i. Walking or	ne block			
	j. Bathing or	dressing yourself			
4.		weeks, have you had er regular daily activ	•	t of your phys	ical
	a			Yes	No
		on the amount of time	e you		
	-	ork or other activities	1:1	_	_
		h less than you would			
	c. Were limite	ed in the kind of work	or other		

Patient name: ______ Date: _____

Patient	name:						_ D	ate:			
	d.	Had difficulty performing the activities (for example, it too				r	Ye			No	
5.	your v	g the <u>past 4 weeks</u> , have you work or other regular daily a ems (such as feeling depresse	ctivitie	s <u>as</u>	a re						h
	a.						Ye			No	
		Accomplished less than you Didn't do work or other active as usual			ful	ly					_
6.	emotion friend	g the <u>past 4 weeks</u> , to what e onal problems interfered wit s, or neighbors, or groups? at all Slightly Mod	h your	norr	nal	social	acti	iviti	es with	ı far	nily,
7.		nuch <u>bodily</u> pain have you h e		_	_				□ Ve	ry s∈	evere
8.	work	g the <u>past 4 weeks</u> , how muc (including both work outside at all	e the ho	me a	and	house	wor	k)?		nal	
9.	during	questions are about how you the past 4 weeks. For each closest to the way you have	questio	n, p	leas	_				•	
	How 1	nuch of the time during the p	All of the time	Most	of	A good bit of the time			A little of the time		ne of time
	a. b.	Did you feel full of pep? Have you been a very nervous person?									
	c.	Have you felt so down in the dumps that nothing could cheer you up?									
	d.	Have you felt calm and peaceful?									
	e.	Did you have a lot of energy	!□ □								

Patient name:			 _ Date:		
	All of the time	Most of the time	Some of the time		None of the time
f. Have you felt downhearted and blue?					
g. Did you feel worn out?h. Have you been a happy person?					
i. Did you feel tired?					
friends, relatives, etc.)? All of the time Most of the None of th	time	wing st	ts for y	v ou? Mostly	Definitely
a) I seem to get sick a little easier than other people	true		know	false	false
b) I am as healthy as anybody I knowc) I expect my health to get worsed) My health is excellent					
Patient signature:			Date	e:	

Patient name:	Date:
Please read instructions: Could you please complete this questionnaire? how your back (or leg) trouble has affected your Please answer every section. Mark one box only describes you today. SECTION 1-PAIN INTENSITY I have no pain at the moment. The pain is very mild at the moment. The pain is moderate at the moment. The pain is fairly severe at the moment. The pain is very severe at the moment. The pain is the worst imaginable at the moment.	r ability to manage in everyday life.
SECTION 2-PERSONAL CARE (Washing, I are look after myself normally, without causing I can look after myself normally, but it is very pair I tis painful to look after myself and I am slow and I need some help, but manage most of my persona I need help every day in most aspects of self care.	extra pain. nful. I careful. I care.
SECTION 3-LIFTING ☐ I can lift heavy weights without extra pain. ☐ I can lift heavy weights, but it gives extra pain. ☐ Pain prevents me from lifting heavy weights off the conveniently positioned, e.g., on a table. ☐ Pain prevents me from lifting heavy weights, but I are conveniently positioned. ☐ I can lift only very light weights. ☐ I cannot lift or carry anything at all.	
SECTION 4-WALKING □ Pain does not prevent me walking any distance. □ Pain prevents me walking more than 1 mile. □ Pain prevents me walking more than ¼ of a mile. □ Pain prevents me walking more than 100 yards. □ I can only walk using a stick or crutches. □ I am in bed most of the time and have to crawl to the	the toilet.
SECTION 5-SITTING ☐ I can sit in any chair as long as I like. ☐ I can site in my favorite chair as long as I like. ☐ Pain prevents me from sitting for more than 1 hou ☐ Pain prevents me from sitting for more than ½ hou ☐ Pain prevents me from sitting more than 10 minute ☐ Pain prevents me from sitting at all.	ır.

Patient name:	Date:
□ Not applicable	
SECTION 6-STANDING ☐ I can stand as long as I want without extra pain. ☐ I can stand as long as I want but it gives me extra pain. ☐ Pain prevents me from standing for more than 1 hour. ☐ Pain prevents me from standing for more than ½ hour. ☐ Pain prevents me from standing for more than 10 minutes. ☐ Pain prevents me from standing at all.	
SECTION 7-SLEEPING ☐ My sleep is never disturbed by pain. ☐ My sleep is occasionally disturbed by pain. ☐ Because of pain, I have less than 6 hours of sleep. ☐ Because of pain, I have less than 4 hours of sleep. ☐ Because of pain, I have less than 2 hours of sleep. ☐ Pain prevents me from sleeping at all.	
SECTION 8-SEX LIFE (if applicable) ☐ My sex life is normal and causes no extra pain. ☐ My sex life is normal but causes some extra pain. ☐ My sex life is nearly normal but is very painful. ☐ My sex life is severely restricted by pain. ☐ My sex life is nearly absent because of pain. ☐ Pain prevents any sex life at all.	
SECTION 9-SOCIAL LIFE ☐ My social life is normal and causes me no extra pain. ☐ My social life is normal, but increases the degree of pain. ☐ Pain has no significant effect on my social life apart from limiting interests, e.g., sports, etc. ☐ Pain has restricted my social life and I do not go out as often. ☐ Pain has restricted my social life to my home. ☐ I have no social life because of pain.	g my more energetic
SECTION 10-TRAVELING ☐ I can travel anywhere without pain. ☐ I can travel anywhere but it gives extra pain. ☐ Pain is bad but I manage journey over two hours. ☐ Pain restricts me to journeys of less than one hour. ☐ Pain restricts me to short necessary journeys under 30 minutes. ☐ Pain prevents me from traveling except to receive treatment.	